Delivery Note

Delivery Purpose : To customer(HW delivery) MR No.: MCSL221214264954 Bill No.:

Delivery Address:	Novi Sad;Petrovaradin;21132;CRSC MagacinCrossing tim Pobeda 221132 Petrovaradin;CRSC INTERNATIONAL CO. LTD. OGRANAK BEOGRAD	Receiver:	Zhang
Customer:	CRSC INTERNATIONAL CO. LTD. OGRANAK BEOGRAD	Tel:	00381 668879202
Customer PO:	OPPR-SRB-202209-001/HW	RAD:	2022-12-16 00:00:00
RSD:	2022-12-15 23:59:59	Site:	Non HW Delivery-DU
Pickup Person:		Remark:	

Material Information

BoxName	Item	Qty	Unit	Weight(KG)	Volume(CBM)	Item Description
6881J203019	02301700	1	PCS	35	0.2806	Assembly Chassis(OptiXtrans E6616,DC,with fiber storage)
6881J203019	03026GNY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1DAP,OA base board with 2 pluggable ports
6881J203019	03026WXY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1AUX,Auxiliary Interface Board,1*1
6881J203019	03034FAA	1	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMB2TP8,32xE1/T1 tributary board(1*DM8+2*PD1)
6881J203019	03034KHJ	2	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMK38LNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J203019	03050EGQ	4	PCS	35	0.2806	Finished Board Unit,OptiX OSN 1800,TMB2EGS404,4-port Gigabit Ethernet Switching Processing Board(1000BASE-T(RJ45)SFP)
6881J203019	34060276	3	PCS	35	0.2806	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J203019	34070298	1	PCS	35	0.2806	Pluggable Optical Amplifier, C-band, Gain23dB, Max 20dBm Out, Support WD
6881J20301A	02233EJG	1	PCS	26	0.1968	OSN 1800V Pro ,DC Engineering Required Delivery Accessory Per Integrated Chassis
6881J20301A	04071532	4	PCS	26	0.1968	Signal Cable,Clock Cable,0.6m,MP8-II,3*CC4P0.5P430U(8)-I,2*MP8-III,L8ZH
6881J20301A	04071856	1	PCS	26	0.1968	Signal Cable,0.6m,MP8-II,3*CC4P0.5GY,2*MP8(8)-III,One-to-two line
6881J20301A	04120639-001	2	PCS	26	0.1968	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(8),-45deg"
6881J20301A	14080097	60	PCS	26	0.1968	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solids Cable,For OEM Matching 25050057
6881J20301A	14130502	20	PCS	26	0.1968	Patch cord-LC/PC-LC/PC-Single mode-G.657A2-2mm-3m-L8ZH-Yellow
6881J20301A	14130525	34	PCS	26	0.1968	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,L8ZH
6881J20301A	25050057	22	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J20301A	25050057	158	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J20301A	34060276	12	PCS	26	0.1968	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J20301A	34060280	1	PCS	26	0.1968	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J20301A	34060488	1	PCS	26	0.1968	"Optical Transceiver,eSFP,1550nm,STM16,-2~3dBm,-30dBm,LC,SM,80km"
6881J20301A	34100144	2	PCS	26	0.1968	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J20301B	02301700	1	PCS	35	0.2806	Assembly Chassis(OptiXtrans E6616,DC,with fiber storage)
6881J20301B	03026GNY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1DAP,OA base board with 2 pluggable ports
6881J20301B	03026WXY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1AUX,Auxiliary Interface Board,1*1
6881J20301B	03034FAA	1	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMB2TP8,32xE1/T1 tributary board(1*DM8+2*PD1)
6881J20301B	03034KHJ	2	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMK38LNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J20301B	03050EGQ	4	PCS	35	0.2806	Finished Board Unit,OptiX OSN 1800,TMB2EGS404,4-port Gigabit Ethernet Switching Processing Board(1000BASE-T(RJ45)SFP)
6881J20301B	34060276	3	PCS	35	0.2806	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J20301B	34070298	1	PCS	35	0.2806	Pluggable Optical Amplifier, C-band, Gain23dB, Max 20dBm Out, Support WD
6881J20301C	02233EJG	1	PCS	26.5	0.1968	OSN 1800V Pro ,DC Engineering Required Delivery Accessory Per Integrated Chassis
6881J20301C	04071532	4	PCS	26.5	0.1968	Signal Cable,Clock Cable,0.6m,MP8-II,3*CC4P0.5P430U(8)-I,2*MP8-III,L8ZH
6881J20301C	04071856	1	PCS	26.5	0.1968	Signal Cable,0.6m,MP8-II,3*CC4P0.5GY,2*MP8(8)-III,One-to-two line
6881J20301C	04120639-001	2	PCS	26.5	0.1968	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(8),-45deg"
6881J20301C	14080097	60	PCS	26.5	0.1968	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solids Cable,For OEM Matching 25050057
6881J20301C	14130502	20	PCS	26.5	0.1968	Patch cord-LC/PC-LC/PC-Single mode-G.657A2-2mm-3m-L8ZH-Yellow
6881J20301C	14130525	34	PCS	26.5	0.1968	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,L8ZH
6881J20301C	25050057	160	M	26.5	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J20301C	34060276	12	PCS	26.5	0.1968	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J20301C	34060280	1	PCS	26.5	0.1968	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J20301C	34060488	1	PCS	26.5	0.1968	"Optical Transceiver,eSFP,1550nm,STM16,-2~3dBm,-30dBm,LC,SM,80km"
6881J20301C	34100144	2	PCS	26.5	0.1968	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J20301F	02301700	1	PCS	35	0.2806	Assembly Chassis(OptiXtrans E6616,DC,with fiber storage)
6881J20301F	03026GNY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1DAP,OA base board with 2 pluggable ports
6881J20301F	03026WXY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1AUX,Auxiliary Interface Board,1*1
6881J20301F	03034FAA	1	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMB2TP8,32xE1/T1 tributary board(1*DM8+2*PD1)
6881J20301F	03034KHJ	2	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMK38LNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J20301F	03050EGQ	4	PCS	35	0.2806	Finished Board Unit,OptiX OSN 1800,TMB2EGS404,4-port Gigabit Ethernet Switching Processing Board(1000BASE-T(RJ45)SFP)

6881J20301F	34060276	3	PCS	35	0.2806	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J20301F	34070298	1	PCS	35	0.2806	Pluggable Optical Amplifier, C-band, Gain23dB, Max 20dBm Out, Support WD
6881J203020	02233EJG	1	PCS	26	0.1968	OSN 1800V Pro ,DC Engineering Required Delivery Accessory Per Integrated Chassis
6881J203020	04071532	4	PCS	26	0.1968	Signal Cable,Clock Cable,0.6m,MP8-II,3*CC4P0.5P430U(8)-I,2*MP8-III,LSZH
6881J203020	04071856	1	PCS	26	0.1968	Signal Cable,0.6m,MP8-II,3*CC4P0.5GY,2*MP8(8)-III,One-to-two line
6881J203020	04120639-001	2	PCS	26	0.1968	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(8),-45deg"
6881J203020	14080097	60	PCS	26	0.1968	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J203020	14130502	20	PCS	26	0.1968	Patch cord-LC/PC-LC/PC-Single mode-G.657A2-2mm-3m-LSZH-Yellow
6881J203020	14130525	34	PCS	26	0.1968	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J203020	25050057	158	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J203020	25050057	22	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J203020	34060276	12	PCS	26	0.1968	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J203020	34060280	1	PCS	26	0.1968	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J203020	34060488	1	PCS	26	0.1968	"Optical Transceiver,eSFP,1550nm,STM16,-2~3dBm,-30dBm,LC,SM,80km"
6881J203020	34100144	2	PCS	26	0.1968	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J203021	02301700	1	PCS	35	0.2806	Assembly Chassis(OptiXtrans E6616,DC,with fiber storage)
6881J203021	03026GNY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1DAP,OA base board with 2 pluggable ports
6881J203021	03026WXY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1AUX,Auxiliary Interface Board,1*1
6881J203021	03034FAA	1	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J203021	03034KHJ	2	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J203021	03050EGQ	4	PCS	35	0.2806	Finished Board Unit,OptiX OSN 1800,TMB2EG8404,4-port Gigabit Ethernet Switching Processing Board(1000BASE-T(RJ45)SFP)
6881J203021	34060276	3	PCS	35	0.2806	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J203021	34070298	1	PCS	35	0.2806	Pluggable Optical Amplifier, C-band, Gain23dB, Max 20dBm Out, Support WD
6881J203022	02233EJG	1	PCS	26.5	0.1968	OSN 1800V Pro ,DC Engineering Required Delivery Accessory Per Integrated Chassis
6881J203022	04071532	4	PCS	26.5	0.1968	Signal Cable,Clock Cable,0.6m,MP8-II,3*CC4P0.5P430U(8)-I,2*MP8-III,LSZH
6881J203022	04071856	1	PCS	26.5	0.1968	Signal Cable,0.6m,MP8-II,3*CC4P0.5GY,2*MP8(8)-III,One-to-two line
6881J203022	04120639-001	2	PCS	26.5	0.1968	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(8),-45deg"
6881J203022	14080097	60	PCS	26.5	0.1968	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J203022	14130502	20	PCS	26.5	0.1968	Patch cord-LC/PC-LC/PC-Single mode-G.657A2-2mm-3m-LSZH-Yellow
6881J203022	14130525	34	PCS	26.5	0.1968	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J203022	25050057	158	M	26.5	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J203022	25050057	22	M	26.5	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J203022	34060276	12	PCS	26.5	0.1968	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J203022	34060280	1	PCS	26.5	0.1968	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J203022	34060488	1	PCS	26.5	0.1968	"Optical Transceiver,eSFP,1550nm,STM16,-2~3dBm,-30dBm,LC,SM,80km"
6881J203022	34100144	2	PCS	26.5	0.1968	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J203025	02301700	1	PCS	34	0.2806	Assembly Chassis(OptiXtrans E6616,DC,with fiber storage)
6881J203025	03026GNY	1	PCS	34	0.2806	Manufactured Board,OptiX OSN 1800,TMB1DAP,OA base board with 2 pluggable ports
6881J203025	03026WXY	1	PCS	34	0.2806	Manufactured Board,OptiX OSN 1800,TMB1AUX,Auxiliary Interface Board,1*1
6881J203025	03034FAA	1	PCS	34	0.2806	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J203025	03034KHJ	1	PCS	34	0.2806	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J203025	03050EGQ	1	PCS	34	0.2806	Finished Board Unit,OptiX OSN 1800,TMB2EG8404,4-port Gigabit Ethernet Switching Processing Board(1000BASE-T(RJ45)SFP)
6881J203025	34060276	11	PCS	34	0.2806	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J203025	34060280	2	PCS	34	0.2806	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J203025	34060488	2	PCS	34	0.2806	"Optical Transceiver,eSFP,1550nm,STM16,-2~3dBm,-30dBm,LC,SM,80km"
6881J203025	34070298	1	PCS	34	0.2806	Pluggable Optical Amplifier, C-band, Gain23dB, Max 20dBm Out, Support WD
6881J203025	34100144	2	PCS	34	0.2806	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J203026	02233EJG	1	PCS	6.12	0.0269	OSN 1800V Pro ,DC Engineering Required Delivery Accessory Per Integrated Chassis
6881J203026	04071532	1	PCS	6.12	0.0269	Signal Cable,Clock Cable,0.6m,MP8-II,3*CC4P0.5P430U(8)-I,2*MP8-III,LSZH
6881J203026	04071856	1	PCS	6.12	0.0269	Signal Cable,0.6m,MP8-II,3*CC4P0.5GY,2*MP8(8)-III,One-to-two line
6881J203026	04120639-001	1	PCS	6.12	0.0269	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(8),-45deg"
6881J203026	14080097	10	PCS	6.12	0.0269	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J203026	14130502	2	PCS	6.12	0.0269	Patch cord-LC/PC-LC/PC-Single mode-G.657A2-2mm-3m-LSZH-Yellow
6881J203026	14130525	3	PCS	6.12	0.0269	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J203026	25050057	10	M	6.12	0.0269	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J203284	02301700	1	PCS	35	0.2806	Assembly Chassis(OptiXtrans E6616,DC,with fiber storage)

6881J203284	03026GNY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1DAP,OA base board with 2 pluggable ports
6881J203284	03026WXY	1	PCS	35	0.2806	Manufactured Board,OptiX OSN 1800,TMB1AUX,Auxiliary Interface Board,1*1
6881J203284	03034FAA	1	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J203284	03034KHJ	2	PCS	35	0.2806	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J203284	03050EGQ	4	PCS	35	0.2806	Finished Board Unit,OptiX OSN 1800,TMB2EG8404,4-port Gigabit Ethernet Switching Processing Board(1000BASE-T(RJ45)SFP)
6881J203284	34060276	3	PCS	35	0.2806	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J203284	34070298	1	PCS	35	0.2806	Pluggable Optical Amplifier, C-band, Gain23dB, Max 20dBm Out, Support WD
6881J203285	02233EJG	1	PCS	26	0.1968	OSN 1800V Pro ,DC Engineering Required Delivery Accessory Per Integrated Chassis
6881J203285	04071532	4	PCS	26	0.1968	Signal Cable,Clock Cable,0.6m,MP8-II,3*CC4P0.5P430U(8)-I,2*MP8-III,LSZH
6881J203285	04071856	1	PCS	26	0.1968	Signal Cable,0.6m,MP8-II,3*CC4P0.5GY,2*MP8(8)-III,One-to-two line
6881J203285	04120639-001	2	PCS	26	0.1968	"Trunk Cable,10m,120ohm,16E1,0.4mm,Anea 96F-II,120CC32P0.4P430U(8),-45deg"
6881J203285	14080097	60	PCS	26	0.1968	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J203285	14130502	20	PCS	26	0.1968	Patch cord-LC/PC-LC/PC-Single mode-G.657A2-2mm-3m-LSZH-Yellow
6881J203285	14130525	34	PCS	26	0.1968	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J203285	25050057	78	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J203285	25050057	80	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J203285	25050057	22	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J203285	34060276	12	PCS	26	0.1968	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J203285	34060280	1	PCS	26	0.1968	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J203285	34060488	1	PCS	26	0.1968	"Optical Transceiver,eSFP,1550nm,STM16,-2~3dBm,-30dBm,LC,SM,80km"
6881J203285	34100144	2	PCS	26	0.1968	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J203429	02301700	1	PCS	36	0.2806	Assembly Chassis(OptiXtrans E9615,DC,with fiber storage)
6881J203429	03026GNY	1	PCS	36	0.2806	Manufactured Board,OptiX OSN 1800,TMB1DAP,OA base board with 2 pluggable ports
6881J203429	03026WXY	1	PCS	36	0.2806	Manufactured Board,OptiX OSN 1800,TMB1AUX,Auxiliary Interface Board,1*1
6881J203429	03034FAA	1	PCS	36	0.2806	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J203429	03034KHJ	2	PCS	36	0.2806	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J203429	03050EGQ	4	PCS	36	0.2806	Finished Board Unit,OptiX OSN 1800,TMB2EG8404,4-port Gigabit Ethernet Switching Processing Board(1000BASE-T(RJ45)SFP)
6881J203429	34060276	3	PCS	36	0.2806	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J203429	34070298	1	PCS	36	0.2806	Pluggable Optical Amplifier, C-band, Gain23dB, Max 20dBm Out, Support WD
6881J20342A	02233EJG	1	PCS	26	0.1968	OSN 1800V Pro ,DC Engineering Required Delivery Accessory Per Integrated Chassis
6881J20342A	04071532	4	PCS	26	0.1968	Signal Cable,Clock Cable,0.6m,MP8-II,3*CC4P0.5P430U(8)-I,2*MP8-II,LSZH
6881J20342A	04071856	1	PCS	26	0.1968	Signal Cable,0.6m,MP8-II,3*CC4P0.5GY,2*MP8(8)-II,One-to-two line
6881J20342A	04120639-001	2	PCS	26	0.1968	"Trunk Cable,10m,120ohm,16E1,0.4mm,Anea 96F-II,120CC32P0.4P430U(8),-45deg"
6881J20342A	14080097	60	PCS	26	0.1968	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J20342A	14130502	20	PCS	26	0.1968	Patch cord-LC/PC-LC/PC-Single mode-G.657A2-2mm-3m-LSZH-Yellow
6881J20342A	14130525	34	PCS	26	0.1968	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J20342A	25050057	22	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J20342A	25050057	156	M	26	0.1968	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J20342A	34060276	12	PCS	26	0.1968	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J20342A	34060280	1	PCS	26	0.1968	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J20342A	34060488	1	PCS	26	0.1968	"Optical Transceiver,eSFP,1550nm,STM16,-2~3dBm,-30dBm,LC,SM,80km"
6881J20342A	34100144	2	PCS	26	0.1968	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"

Total Box: 14 Total KG / CBM: 493.72/3.1739

Signature:

Shipper:		Driver:		Reciever:	
Warehouse :	CSN MIL	Company:		Company:	
Date:	20.12.2022	Date:		Date :	

MILSPED Beograd za ushuse i trgovinu d.o.o.